

**Material Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

**U.S. Department of Labor**

Occupational Safety and Health Administration  
(Non-Mandatory Form)

Form Approved  
OMB No. 1218-0072



IDENTITY (As Used on Label and List)

**Mile High Foam**

*Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.*

**Section I**

Manufacturer's Name <b>Backer Rod Mfg. Inc.</b>	Emergency Telephone Number <b>303-295-7070</b>
Address (Number, Street, City, State, and ZIP Code) <b>2450 Blake St.</b>	Telephone Number for Information <b>1-800-595-2950</b>
<b>Denver, CO 80205-2111</b>	Date Prepared <b>2-15-89</b>
	Signature of Preparer (optional) <i>[Signature]</i>

**Section II - Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
"DNA" - Does not apply		No hazardous ingredients		

**Polyethylene Foam**

Not hazardous as defined in 29 CFR 1910.1200 (Occupational Safety and Health Standards for General Industry 29 Code of Federal Regulations, Section 1910, Part 1200)

**Section III - Physical/Chemical Characteristics**

Boiling Point <b>DNA</b>	<b>DNA</b>	Specific Gravity (H <sub>2</sub> O = 1) <b>ASTM D 792</b>	<b>2 lbs/cu ft</b>
Vapor Pressure (mm Hg.) <b>DNA</b>	<b>DNA</b>	Melting Point <b>VICAT Softening Point (ASTM D 1525)</b>	<b>196°F</b>
Vapor Density (AIR = 1) <b>DNA (solid material)</b>	<b>DNA</b>	Evaporation Rate (Butyl Acetate = 1) <b>DNA</b>	<b>DNA</b>
Solubility in Water <b>Not water soluble</b>			
Appearance and Odor <b>Round dia./in coils or six foot pieces, black in color, solid material, no vapors</b>			

**Section IV - Fire and Explosion Hazard Data**

Flash Point (Method Used) <b>341°F ASTM D 1929</b>	Flammable Limits <b>Auto Ignition 343°F</b>	LEL <b>DNA</b>	UEL <b>DNA</b>
Extinguishing Media <b>Water spray, dry chemical, foam of carbon dioxide</b>			
Special Fire Fighting Procedures <b>Water spray from fogging nozzle is recommended</b>			

**Unusual Fire and Explosion Hazards**

May burn at or above flash point, airborne dust may explode if ignited.

See national fire protection bulletin 654.

